

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 May 2009

(For the Period 15 April 2009 to 30 April 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-32296(1)	Cartridge, 40 Millimeter, Infrared Illuminant - M992 Loading, Assembling, and Packing [CUST: AR]	D	1310		AR	14-APR-2009
M	MIL-DTL-48425B	Fin Assembly - M24 [CUST: AR OS 70] [REVIEW: 99 MC NP]	D	1310		AR	27-APR-2009
M	MIL-DTL-50509B(1)	Cartridge, 40 Millimeter, White Star Cluster - M585 Loading, Assembling and Packing [CUST: AR]	D	1310		AR	14-APR-2009
M	MIL-DTL-63092C(1)	Cartridges, 40 Millimeter, Parachutes, Loading, Assembling, and Packing [CUST: AR]	D	1310		AR	14-APR-2009
M	MIL-DTL-48669B(1)	Cartridge, 40 Millimeter, Escapement Assembly Loading, Assembling, and Packing [CUST: AR]	D	1390		AR	14-APR-2009
M	MIL-DTL-50869G(1)	Fuze, Point Initiating, Base Detonating (PIBD) - M550, Less Spitback Assembly Loading, Assembling, and Packing [CUST: AR]	D	1390		AR	14-APR-2009
M	MIL-PRF-81975C(1)	Couplings, Regulated, Aerial Pressure Refueling Type MA-2, Type MA-3 and Type MA-4 [CUST: AS 99] [REVIEW: 11]	A	1680		AS	16-APR-2009
N	ASTM-B962	Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle [CUST: AT SH 99] [REVIEW: IS MC MI MR OS]	A	3120		AT	17-FEB-2009
N	ASTM-B963	Oil Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle [CUST: AT SH 99] [REVIEW: IS MC MI MR OS]	A	3120		AT	17-FEB-2009
M	A-A-58004D	Truck, Fire Fighting, Water Tanker, 4,000 Gallon Capacity [CUST: 84] [REVIEW: IS]	A	4210	/	84	15-APR-2009
M	MIL-DTL-3992F(2)	Hose and Hose Assembly, Rubber, Air and Vacuum Brake, Systems [CUST: AT MC 99 CC] [REVIEW: 71 MI SA]	A	4720		CC	15-APR-2009
M	MIL-PRF-9439F	Valve, Oxygen, Cylinder, High Pressure [CUST: AV AS 71] [REVIEW: 11 99 CC]	A	4820		71	27-APR-2009
M	A-A-59579 NOT 1	Test Set, Fuel Control System- AC/DC Quantity [CUST: 99]	A	4920	/	84	22-APR-2009
M	MIL-PRF-9954D	Glass Beads: for Cleaning and Peening [CUST: MR AS 84]	A	5350		84	16-APR-2009
M	MIL-PRF-55182H(3) SUP 1A	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG EA MC NA OS]	A	5905		CR	08-APR-2009
M	MIL-PRF-55182/3R(1) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*60 1/ [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905		CR	08-APR-2009
M	MIL-PRF-55182/7M(1) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*50 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905		CR	08-APR-2009
M	MIL-PRF-19978/9C(1) NOT 1	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tubular (Insulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR09 [CUST: CR EC 85 CC] [REVIEW: 19 99 MC]	A	5910		CC	22-APR-2009
M	MIL-PRF-19978/10B(1) NOT 1	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tangential Retainer, Tubular (Uninsulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR12 [CUST: CR EC 85] [REVIEW: 19 99 MC]	A	5910		CC	22-APR-2009
M	MIL-PRF-19978/14A(1) NOT 1	Capacitors, Fixed, Plastic Dielectric, Axial-Wire Terminal, Tangential Retainer, Tubular (Uninsulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR32 [CUST: CR EC 85 CC] [REVIEW: 19 99 MC]	A	5910		CC	22-APR-2009
M	MIL-PRF-19978/15A(1) NOT 1	Capacitors, Fixed, Plastic Dielectric, Axial-Wire Terminal, Threaded-Stud Retainer, Tubular (Uninsulated)(Hermetically Sealed in Metal Cases), Established Reliability, Style CQR33 [CUST: CR EC 85] [REVIEW: 19 99 MC]	A	5910		CC	22-APR-2009
M	MIL-PRF-15733/38L	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL16 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH]	A	5915		CC	14-APR-2009
M	MIL-PRF-15733/39K	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL91 [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CG MC OS SH]	A	5915		CC	14-APR-2009
M	MIL-PRF-15733/57D	Filter, Radio Frequency Interference, Hermetically Sealed, Style FL62 [CUST: EC 85 CC]	A	5915		CC	23-APR-2009
M	MIL-PRF-15733/62D NOT 1	Filters, Radio Frequency Interference Styles FL31 and FL47 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS]	A	5915		CC	22-APR-2009
M	MIL-PRF-15733/67B(1)	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL88 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC OS SH]	A	5915		CC	23-APR-2009
M	MIL-PRF-19207/3J	Fuseholders, Extractor Post Type, Blown Fuse Indicating, Types FHL12U and FHL12G [CUST: CR SH 85 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS]	A	5920		CC	21-APR-2009
M	A-A-59688/1C	Fuse, Cartridge, Instrument Type, 5 MM X 20 MM, Quick-Acting, High-Breaking Capacity [CUST: EC CC]	A	5920	/	CC	04-MAY-2009
M	A-A-59688/2C	Fuse, Cartridge, Instrument Type, 5 MM X 20 MM, Quick-Acting, Low-Breaking Capacity [CUST: EC CC]	A	5920	/	CC	04-MAY-2009
M	MS24571H	Circuit Breakers, Aircraft, Trip Free, 2 1/2 to 50 Amperes, 121.1 Degrees C Ambient [CUST: 85 CC]	A	5925		CC	21-APR-2009
M	MIL-PRF-8805F(2) SUP 1	Switches and Switch Assemblies, Sensitive, Snap Action (Basic, Limit, Push Button and Toggle Switches), General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI OS SH]	A	5930		CC	27-APR-2009
M	MIL-PRF-8805/80G	Switch, Sensitive, Limit, Hermetic Seal [CUST: EC 85 CC]	A	5930		CC	29-APR-2009
M	MIL-PRF-39012/16H(1)	Connectors, Plugs, Electrical, Coaxial Radio Frequency, (Series BNC (Cabled), Pin Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/17H(1)	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, (Series BNC, (Cabled), Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/18H(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC, (Cabled), Socket Contact, Flange Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/19H(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/20H(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series BNC (Cabled), Pin Contact, Right Angle, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/21B(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/22B(1)	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Flange Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	20-APR-2009
M	MIL-PRF-39012/23B(1)	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Right Angle, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	20-APR-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-39012/24D(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Hermetic Sealed, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	20-APR-2009
M	MS17344F(1)	Connector, Plug, Electrical, Straight [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YD]	A	5935		CC	15-APR-2009
M	MS17350E(1)	Cover, Protective, Connector, Plug [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		CC	15-APR-2009
M	MS90561G(1)	Grip, Cable, Woven, Strain Relief, Axial [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS]	A	5935		CC	15-APR-2009
M	QPL-AS39029-2 NOT 1	Contacts, Electrical Connector, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		AS	16-APR-2009
M	MIL-PRF-3098/71E	Crystal Unit, Quartz, CR96/U [CUST: CR EC 99 CC] [REVIEW: 19 84]	A	5955		CC	21-APR-2009
M	MIL-PRF-3098/73E	Crystal Unit, Quartz, CR98/U [CUST: CR EC 99 CC] [REVIEW: 19 84]	A	5955		CC	21-APR-2009
M	MIL-PRF-19500/374E	Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N3996 through 2N3999, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5961		CC	30-APR-2009
M	MIL-PRF-19500/412E	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N3846, 2N3846T1, 2N3846T3, 2N3847, 2N3847T1, and 2N3847T3, JAN, JANTX, JANTXV, and JANS [CUST: 85 CC]	A	5961		CC	30-APR-2009
M	MIL-PRF-19500/538E	Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N6676, 2N6678, 2N6676T1, 2N6678T1, 2N6676T3, 2N6678T3, 2N6691 and 2N6693 JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC] [REVIEW: 19 99 MI]	A	5961		CC	25-APR-2009
M	MIL-PRF-19500/561G	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N6193 and 2N6193U3, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 MI]	A	5961		CC	02-MAY-2009
M	MIL-PRF-19500/595H	Semiconductor Device, Repetitive Avalanche, Field Effect, Transistor, P-Channel, Silicon, Types 2N7236, 2N7237, 2N7236U, and 2N7237U, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC MI SM]	A	5961		CC	22-APR-2009
M	MIL-PRF-19500/616G	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6657 through 1N6659 and 1N6657R through 1N6659R, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	17-APR-2009
M	MIL-PRF-19500/617D	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6672 through 1N6674 and 1N6672R through 1N6674R, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	17-APR-2009
M	MIL-DTL-287/3F	Waveguide Assemblies, Flexible, Twistable, Class 1 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS]	A	5985		CC	14-APR-2009
M	MIL-DTL-287/4G	Waveguide Assemblies, Flexible, Nontwistable, Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS]	A	5985		CC	14-APR-2009
M	MIL-DTL-287/5G	Waveguide Assemblies, Extra-Flexible, Twistable, Class 3 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS]	A	5985		CC	14-APR-2009
N	MIL-DTL-22442/62	Cable Assembly, Aircraft Audio [CUST: AS]	A	5995		AS	14-APR-2009
M	MIL-PRF-31032/6(1)	Printed Wiring Board, Rigid, Single and Double Sided, Thermoplastic Resin Base Material, with or without Plated-Through Holes, for High Frequency Applications [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5998		CC	10-APR-2009
N	IPC-9252	Electrical Testing of Unpopulated Printed Boards, Requirements for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	15-APR-2009
M	MIL-PRF-15733/49K	Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL93 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC OS SH]	A	59GP		CC	23-APR-2009
M	MIL-PRF-15733/58C(1)	Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL63 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	59GP		CC	23-APR-2009
M	MIL-PRF-81757/15A	Battery, Storage, Aircraft, Nickel-Cadmium, High Rate, 24-Volt, 25-Ampere-Hour, Low-Maintenance, Vented [CUST: AS]	A	6140		AS	10-APR-2009
M	QPL-27203-18 NOT 1	Indicator, Position, Wing Flap (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6610		71	22-APR-2009
M	QPL-25623-26 NOT 1	Indicator, Electrical Tachometer, Aircraft Turbo Speed 0-110 Percent RPM, 2-Inch Size, Type MU-1 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6620		71	22-APR-2009
M	A-A-59372A NOT 1	Calibrator, Oscilloscope [CUST: 84] [REVIEW: 99]	A	6625	/	84	22-APR-2009
M	A-A-59578 NOT 1	Commercial Item Description Generator, Function (0.1 HZ to 4 MHZ) [CUST: 99]	A	6625	/	84	22-APR-2009
M	A-A-59577 NOT 1	Tester, Flash Point ASTM D93 Method A and B [CUST: 99]	A	6630	/	84	22-APR-2009
M	A-A-59603 NOT 1	Testing Kit, Petroleum, Fuel System Icing Inhibitor [CUST: 99]	A	6630	/	84	22-APR-2009
M	A-A-55811A NOT 1	Stopwatch, General Purpose [CUST: CR AS 99] [REVIEW: 71 MC OS]	A	6645	/	GS1	22-APR-2009
M	QPL-7112-10 NOT 1	Indicator, Temperature, Electrical Resistance, Cylinder Head, 0 Deg C to 300 Deg C (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6685		71	15-APR-2009
M	QPL-25933-12 NOT 1	Altimeter, Pressurized Compartment, Integrally Lighted, 0-50,000 Feet, 1-7/8 Inch Dial (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6685		71	15-APR-2009
M	A-A-52190B	Dispenser, Liquid, Insulated [CUST: GL SA 99 SS] [REVIEW: 35 84 AV MC MD QM]	A	7320	/	SS	16-APR-2009
M	MIL-DTL-3628/223D	Badge, Qualification, Personal Water Craft Course (PWC) Operator's Device, Coast Guard Auxiliary [CUST: IH] [REVIEW: CG CT]	A	8455		IH	30-APR-2009
M	MIL-DTL-3943/249D	Medal, Civilian Desert Shield/Desert Storm [CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	01-MAY-2009
M	MIL-DTL-3943/298A	Decoration, Exceptional Civilian Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	01-MAY-2009
M	MIL-DTL-11484/182E	Lapel Button, Civilian Desert Shield/Desert Storm [CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	15-APR-2009
M	MIL-DTL-11484/279A	Lapel Button, Exceptional Civilian Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	01-MAY-2009
M	MIL-DTL-11484/300B	Lapel Button, Civilian Employee of the Year, Coast Guard [CUST: IH NU] [REVIEW: CG CT]	A	8455		IH	01-MAY-2009
M	MIL-DTL-11484/303A	Lapel Button, 9-11 Ribbon, Department of Transportation [CUST: IH] [REVIEW: CT]	A	8455		IH	01-MAY-2009
M	MIL-DTL-11484/304A	Lapel Button, 9-11 Medal, Department of Transportation [CUST: IH] [REVIEW: CT]	A	8455		IH	15-APR-2009
M	MIL-DTL-11484/305A	Lapel Button, Meritorious Unit Award, Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	01-MAY-2009
M	MIL-DTL-11484/306A	Lapel Button, Gallant Unit Citation, Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	01-MAY-2009
N	MIL-DTL-11484/329	Lapel Button, National Intelligence Senior Service Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	10-APR-2009
N	MIL-DTL-11484/330	Lapel Button, National Intelligence Joint Duty Service Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	10-APR-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-11589/212G	Ribbon, AFROTC College Scholarship Recipient and AFJROTC Distinguished Unit Award [CUST: IH 11] [REVIEW: CT]	A	8455		IH	15-APR-2009
M	MIL-DTL-11589/213F	Ribbon, AFROTC Honors and AFJROTC Top Performer Award [CUST: IH 11] [REVIEW: CT]	A	8455		IH	15-APR-2009
M	MIL-DTL-11589/359F	Ribbon, Civilian Desert Shield/Desert Storm [CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	15-APR-2009
M	MIL-DTL-11589/592A	Ribbon, 9-11 Medal, Department of Transportation [CUST: IH] [REVIEW: CT]	A	8455		IH	15-APR-2009
N	MIL-DTL-11589/631	Ribbon, LTG Richard G. Trefry Lifetime of Service Award, Office of the Secretary of Defense [CUST: IH] [REVIEW: CT]	A	8455		IH	01-APR-2009
N	MIL-DTL-43098/17	Medallion, Intelligence Community Seal, Office of the Director for National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	15-APR-2009
M	MIL-DTL-32145 NOT 1	Neck Seal, Flyers', Anti-Exposure, Ruggedized [CUST: AV AS CT] [REVIEW: NU]	A	8475		AS	22-APR-2009
M	MIL-DTL-32146 NOT 1	Wrist Seal, Flyers', Anti-Exposure, Ruggedized [CUST: AV AS CT] [REVIEW: NU]	A	8475		AS	22-APR-2009
M	A-A-20299B	Fruits, Infused and Dried [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8915	/	SS	13-APR-2009

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-50872E(1)	Cartridge, 40 Millimeter, HEDP - M433 Loading, Assembling, and Packing [CUST: AR]	D	1310		AR	14-APR-2009
M	MIL-DTL-63239D(1)	Cartridge, 40 Millimeter, Practice - M781 Loading, Assembling, and Packing [CUST: AR]	D	1310		AR	14-APR-2009
M	MS28774M	Retainer, Packing Backup, Single Turn, Polytetrafluoroethylene [CUST: MR AS 99 IS]	A	5330		IS	23-APR-2009
M	MS28777D	Washer, Flat, Aircraft Hydraulic Backup [CUST: AV AS 99 IS] [REVIEW: 71 SA]	A	5330		IS	23-APR-2009
M	MS28932B	Felt Strip, Packing Gland [CUST: AS 99 IS]	A	5330		IS	23-APR-2009
M	MS35803B	Washer, Aircraft Hydraulic Packing Backup [CUST: AV AS 99 IS] [REVIEW: 71 AT CR4 MI]	A	5330		IS	23-APR-2009
M	AN3119 REV 3	Gasket - Common, Tail Position Light [CUST: 99 IS] [REVIEW: 71]	A	5330		IS	23-APR-2009
M	MIL-C-25/4E NOT 1	Capacitors, Fixed, Paper or Plastic Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Styles CP53, CP54, and CP55 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC MI OS]	A	5910		CC	22-APR-2009
M	MIL-C-11015/29E NOT 1	Capacitors, Fixed, Ceramic Dielectric (General Purpose), (Feed-thru or Stand-Off) Styles CK74, CK75, CK78, CK79 and CK85 [CUST: EC CC]	A	5910		CC	22-APR-2009
M	MIL-I-3930E(1) SUP 1A NOT 3	Insulating and Jacketing Compounds, Electrical (for Cables, Cords, and Wires), General Specification for [CUST: CR 85 GS4] [REVIEW: AR YD]	A	5970		GS4	27-APR-2009
M	MIL-DTL-81219C	Indicator, Elapsed Time, Electrochemical [CUST: AS 71 GS1]	A	6645		GS1	20-APR-2009
M	MS90373B	Indicator, Elapsed Time, Electrochemical (Copper) 115V 50/2400 Hz AC or 28V DC [CUST: AS 71 GS1]	A	6645		GS1	20-APR-2009
M	MS90386D	Indicator, Elapsed Time, Electrochemical (Mercury) 115 Volt AC 50/2400 Hz, 28 Volt DC or 5 Volt DC [CUST: AS 71 GS1]	A	6645		GS1	20-APR-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	ASTM-B328	Density, Oil Content, and Interconnected Porosity of Sintered Metal Structural Parts and Oil-Impregnated Bearings (S/S by ASTM-B962 and ASTM-B963) [CUST: AT SH 99] [REVIEW: GS IS MC MI MR OS]	A	3120		AT	17-FEB-2009
M	IPC-TM650.2.3.17	Resin Flow of Prepreg Materials (B-Stage) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA]	A	5998		CC	24-APR-2009
M	IPC-TM650.2.3.17.2	Resin Flow "No Flow" Prepreg (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA]	A	5998		CC	24-APR-2009
M	MIL-C-28777/10A NOT 2	Cable Assembly, (Type II), Electronic Test Equipment, (2 Poles, 3 Wires, Grounded, 250 Volts, 10 Amperes, 50 or 60 Hertz), Grounding Plug Connector, and Right Hand Access Molded Type II Equipment Connector (No S/S Document) [CUST: CR EC 85 GS8] [REVIEW: 71 AS MC]	A	6150		GS8	16-APR-2009
M	MIL-C-28777/13A NOT 2	Cable Assembly, (Type I), Electronic Test Equipment, (2 Poles, 3 Wires, Grounded, 250 Volts, 13 Amperes, 50 or 60 Hertz), Grounding Plug Connector, and Type I Equipment Connector (No S/S Document) [CUST: CR EC 85 GS8] [REVIEW: 71 AS MC]	A	6150		GS8	16-APR-2009
M	MIL-C-28777/14 NOT 2	Cable Assembly, (Type I), Electronic Test Equipment, (3 Wires, 7 Prongs, 28 Volts DC), Type I Plug Connector and Equipment Connector (No S/S Document) [CUST: CR EC 85 GS8] [REVIEW: AS MC]	A	6150		GS8	16-APR-2009
M	MIL-C-28777/15 NOT 2	Cable Assembly, (Type I), Electronic Test Equipment, (3 Wires, 125 Volts, 400 Hertz, 1 Phase), Grounding Connector Adapter (No S/S Document) [CUST: CR EC 85 GS8] [REVIEW: AS MC]	A	6150		GS8	16-APR-2009
M	MIL-P-149D NOT 3	Plastic Coating Compound, Strippable (Hot Dipping) (No S/S Document) [CUST: MR AS 99] [REVIEW: 84 CG SH]	A	8030		AS	14-APR-2009
M	QPL-149-12 NOT 2	Plastic Coating Compound, Strippable (Hot Dipping) (No S/S Document)	A	8030		AS	14-APR-2009